



FIG. 1
(PRIOR ART)



100

FIG. 2
(PRIOR ART)






FIG. 4





FIG. 5



BEST AVAILABLE COPY

BEST AVAILABLE COPY

FIGURE 6 (PRIOR ART)

600
Σ

Examples of Contents in Logging

- Server-Side Logging Entry Contents
 - ▶ Date/time for entry
 - ▶ Entry type: inbound, outbound, internal
 - ▶ Source address/port
 - ▶ Request header
 - ▶ Post data
 - ▶ Server-side session state information
 - ▶ Browser-side session state information
- Browser-Side Logging Entry Contents
 - ▶ Date/time for entry
 - ▶ Entry type: inbound, outbound, local
 - ▶ Request data
 - ▶ Post data
 - ▶ Response data
 - ▶ Browser-side session state information


FIGURE 6A

601
Σ

Examples of Contents in Logging

- ▶ Date/time entry for entry
- ▶ Entry Type (inbound, outbound, local, survey requests, survey response)
- ▶ HTTP "GET" data
- ▶ HTTP "POST" data
- ▶ HTTP Response data
- ▶ Proxy/Surrogate Server session state information
- ▶ Requesting (Browser) Address/Name/Port
- ▶ Target (Server) Address/Name/Port

FIG. 1



700
700

FIG. 8




FIG. 9




FIG. 10




FIGURE 11





FIGURE 12